

# Compliance Testing Report for Australian/New Zealand Standard AS/NZS60598.1:2017+A1+A2

Luminaires – Part 1: General requirements and tests (Partial Testing - Flammability Testing)

Client: Bounce LED

Address: Unit 8, 17-21 Cadogan Street, Marrickville, NSW 2004,

Australia

Report Number: 0210BOUAxisPlus\_5981P

Date of Testing: 4<sup>th</sup> - 10<sup>th</sup> February 2021

File Number: BOU201209

Equipment Name: LED module

Equipment Model Number: Axis Plus

Equipment tradename /

brandname

Bounce LED

Equipment Description: LED module

Result: COMPLIES

Tested by: Darren Li

Approved by: Wing Ming Yeung

Date of issue 10<sup>th</sup> February 2021

Results appearing herein relate only to the sample(s) tested.

This report may not be reproduced in any form unless done so in full.

Original copies of reports are printed on Austest Laboratories official Test Report letterhead, printed in reflex blue.

This report is issued errors and omissions exempt and is subject to withdrawal at Austest Laboratories discretion.

\* refer to summary page for clarification







## SUMMARY OF COMPLIANCE WITH AUSTRALIAN AND NEW ZEALAND STANDARD AS/NZS60598.1:2017+A1+A2

The EUT (Equipment Under Test), known as LED module, model number: Axis Plus, was supplied for AS/NZS60598.1:2017+A1+A2 testing by Bounce LED of Unit 8, 17-21 Cadogan Street, Marrickville, NSW 2004, Australia.

The model Axis Plus was considered as Class III equipment, designed to be powered through a supply voltage of 12VDC, each of the LED module rated power of 0.96W.

The LED module, model number: Axis Plus **COMPLIES** with the tested clause of AS/NZS60598.1:2017+A1+A2 and AS/NZS 60598.2.1: 2014 + A1, A2.

#### Method

Testing was performed in accordance with the standard and test procedures:


60598.2.1man Issue 1

#### **Possible Test Case Verdicts:**

- test case does not apply to the test object	. N(.A)
- test object does meet the requirements	` '
- test object does not meet the requirements	
- test was not performed	` '
- Noted	,







Page 3 of 8



	AS/NZS 605981: 2017 + A	1 +A2	
Clause Requirement + Test Result - Remark		Verdict	
			_
16 (13) RESISTANCE TO HEAT, FIRE AND TRACKING			Р
16 (13.3) Resistance to flame and ignition (AS/NZS 60598.1/APPENDIX ZZ)		Р	
16 (13.3.1)	6 (13.3.1) Glow-wire test (750°C):		N
	- part tested	Soldered connection	N
16 (13.3.2) Glow-wire test (650°C) :		Р	
	- part tested	Refer to appended table	Р
16 (13.3.3)	Needle flame test: (AS/NZS 60598.1+A2/APPENDIX ZZ)		N
	- part tested	Refer to appended table	N









AS/NZS60598.1:2017+A1+A2	
FLAMMABILITY TEST RESULT	

The following parts were subjected to the appropriate glow-wire/needle flame tests specified in AS/NZS60598.1:2017+A1+A2

#### **SPECIMEN**

<u>NO.</u>	PART	<u>MATERIAL</u>	COLOUR
1	Enclosure	Thermoplastic	White
2	Diffuser	Thermoplastic	Translucent

For results see the following tables







AS/NZS60598.1:2017+A1+A2	
FLAMMABILITY TEST RESULT	

#### **Glow-wire tests**

The specimens were tested with the test surfaces arranged vertically and the glow-wire tip applied at right-angles for 30s at the temperature stated:

AS/NZS 60695.2.11 CLAUSE	SPECIMEN NUMBER	1	2
3	How tested	С	С
5	Glow-wire tip temp (°C)	650	650
10(a)	Time till ignition of specimen (s)	NI	NI
	Time till ignition of the underlying layer (tissue paper, pinewood board etc.) (s)		NI
10(b)	Time from tip application till flaming or glowing ceased (s)	NA	NA
10(c)	Maximum flame height (mm)	NA	NA
10(d)	Specimen distortion	Yes	Yes
	Depth of penetration (mm)	NM	NM
10(e)	Pinewood board scorching	No	No
11(a)	Flame or glowing	No	No
11(b) Time of flames or glowing of specimen, surroundings or layer below after removal of tip (maximum allowable: 30 s) (s)		NA	NA
	Ignition of surrounding parts or layer below (not permitted)	NI	NI
11	Ignition of wrapping tissue (not allowed)	NI	NI
11	RESULT	Р	Р

**Legend:** CE-Complete Equipment; SA-Sub-Assembly; C-Component; ME-manually Extinguished; NI-No Ignition; NA-Not Applicable; P-Pass; F-Fail; Sat-Satisfactory; Uns-Unsatisfactory; Ø-Ignited Specimen Number; NF-Needle Flame Test Required, NM- Not Measured

### \*\*\*END OF REPORT BODY\*\*\* APPENDIX 1 – PHOTOGRAPHIC RECORD OF SAMPLE


This report is issued within the scope of A2LA accreditation #2765.02.

Accredited for compliance with ISO / IEC 17025. Approval Specialists Pty Ltd (ACN: 094 656 354) Trading as Austest Laboratories 2/9 Packard Avenue, Castle Hill NSW 2154 Australia Ph: +612 9680 9990





<sup>\*</sup> Either 11(a) or 11(b) has to comply. "Yes" does not constitute a point of non-compliance with 11(a) if the requirements of 11(b) are met.



Page 6 of 8



AS/NZS60598.1:2017+A1+A2	
FLAMMABILITY TEST RESULT	











#### Appendix 1 - Photographic Record of Sample



Overview



Soldered connection









#### Appendix 1 - Photographic Record of Sample

