LED Wiring Accessories

Our premium range of LED Cable can be used in all lighting installations. Use in conjunction with our Wago Cable Connectors and Gelbox, for a quick, easy and safe wiring solution.

WAGO CONNECTORS & GELBOXES



WAGO 221 Double Wire Connectors - 4mm

2-Wire Compact Splicing Connector. For wire thickness up to 4mm. Pack of 100



WAGO 221 Triple Wire Connectors - 4mm

3-Wire Compact Splicing Connector. For wire thickness up to 4mm. Pack of 50



WAGO 221 Five Wire Connectors - 4mm

5-Wire Compact Splicing Connector. For wire thickness up to 4mm. Pack of 25



WAGO 221 Inline Splicing Connectors - 4mm

2-Wire Compact Splicing Connector. For wire thickness up to 4mm. Pack of 60



WAGO Gelbox - 1331

Moisture protection for splicing connectors. Compatible with 1x Double or 1x Triple Wire Connector. Pack of 4



WAGO Gelbox - 1332

Moisture protection for splicing connectors. Compatible with 2x Double or 1x Five Wire Connector. Pack of 4



WAGO Gelbox - 1333

Moisture protection for splicing connectors. Compatible with 3x Double or 2x Triple Wire Connector. Pack of 3



WAGO 221 L-Boxx Mini

 $Selection \ of \ 4mm \ \& \ 6mm \ WAGO \ wire \ connectors \ in \ a \ Carry \ Case. \ Double \ (100 \ x \ 4mm) \cdot Triple \ (100 \ x \ 4mm, \ 30 \ x \ 6mm) \cdot Five \ (25 \ x \ 4mm)$

LED CABLE



LED Cable 20AWG (Clear)

Light gauge figure-8 cable. Clear outer casing. 50m roll



LED Cable 14AWG

Heavy gauge insulated Cable. Red & white casing. 50m roll



LED Cable 18AWG

Regular gauge figure-8 cable. Red & white casing. 100m Roll



RGB Cable

Flexible, 4-pin Cable for wiring RGB modules. 20m roll



LED Cable 16AWG (Clear)

Regular gauge figure-8 cable. Clear outer casing. 100m Roll



RGBW Cable

Flexible, 5-pin Cable for wiring RGBW modules. 20m roll

